

Série K - HB Type 81.

P.S.: 5.95.

⊗ ⊠ Lavage au sec 1 (SD) Jau sec 8b. (HL remplacée).

1	⊗ ⊠	Repos.						1b.	Repos.							
2		Relais	6.00	14.00	8.00	-	-	2b.				8.30				
									Δ Ans	Voroux		9.00				
									SD43348	Merelbeke		9.15	9.28	8.00 - 122		
										D.C.		10.30	15.21			
													16.30			
	⊠	Repos.							⊠	Repos.						
3			12.30					3b.				0.30				
	x SD40501	Ans	13.27	14.42	7.30	-	7		SL94365	Merelbeke	Voroux	1.45	7.25	10.00 - 122		
	x SD40502	Ans	15.04	15.52					Δ		Ans	7.52	8.07			
	SD40032	Ans Est	16.35	16.40									10.30			
		manoeuvres														
	SD40033	Ans	18.18	18.25												
		◇		20.00												
	⊠	Repos							⊠	Alternement.						
4		⊠ K4b.	10.50					4b.				2.20				
	Δ	Ans	11.20						Δ	Ans	Voroux	2.50				
	SD42324	Voroux	11.35	11.50					SL44420	Bressoux		3.05	3.20	8.30 9.30 45		
	SD24313	Teuven	12.35	14.53	10.00	8.-	112		SL44423	Voroux		3.55	5.28			
	Δ	Voroux	16.23	19.18					SD40081	Ans		6.20	8.00			
		Ans	19.47	20.00								9.00	9.15			
		◇		20.50									10.50			
	⊠	par K4.														
	⊠	Res. allum.	11-	19-					⊠	Cassure T1		7.00	16.30			
										(40081 par R4)						
5		Res. allum.	17-	1-	8-	8-	37	5b.		Res. allum.		5-	13-	8-	8-	37
			13.30													
	714200	Ans	13.39	15.9												
	Δ	Herbesthal														
	714201	Welkenr.	16.54	19.39												
		Ans		21.-												
6			16.15					6b.				5.45				
	Δ	Ans	18.45									6.15				
	SD41305	Voroux	17.-	17.13	10.00	-	112		SD43201	Ans	Zongeren	6.50	9.45	10.00 - 34		
	SD14333	Teuven	18.10	20.29					SD34224	Ans		11.57	14.33			
	Δ	Voroux	22.27	0.25									15.45			
		Ans	0.47	0.58												
		◇		2.15												
	⊠	Alternement							⊠	Alternement.						

ans

476.

ans.

7		Res. allum.	18.00	2.00	8.00	-	30	7b	hl préparée par RSC	4.00				
									Δ ans	4.05				
									SD 42346	4.30	4.35	10.00		112
									SL 14305	5.25	7.13			
									Δ	10.50	13.00			
									Δ	13.23	13.35			
									□		14.00			
	D	Alternement						D	Repos.					
8		Res. allum.	20.00	4.00	8.00	-	30	8b	Res. allum.	8.00	16.00	8.00	-	30
	D	Alternement							Repos.					
9			21.40					9b		7.00				
			22.10						Δ ans	7.30				
	Δ	ans	22.45	22.38	10.00	-	112	Δ	ans	7.45	8.00	10.	8.00	26
	SD 49	Voroux	23.10	0.58				SD	man. V. T.					
	SL 94011	Voroux	2.55	5.20				Δ	ans	15.00	15.15			
	Δ	ans	5.30	5.45							17.00			
				7.40										
	D	Alternement						D	Res. allum.	8.00	16.00			
10								10b		9.45				
	SL	Alternement							Δ ans	10.15				
									SD 41309	10.20	10.35			
									SD 14329	11.14	12.53	10.00-10.-		93.
									Δ	15.06	17.04			
										17.37	17.50			
									□		19.45			
	L	Repos.						Set D	Repos.					
									P T.			152	23.30	1047
									P M.			7.51		105
<u>Série M Sans Hl.</u>														
1 réserve à heures variables - Repos tous les 6 jours														
<u>Série N Sans Hl.</u>														
2 machinistes réception des combustibles, repos le dimanche														

Série S - HL type 51

P.S. = 200 ⓧⓉ Savage tous les 15 jours (hl remplacée)

1	SD	Man Athg	7 ⁰⁰ 16 ³⁰ 9 ³⁰
	D	Remis	
	L	Alternance (see par 246)	9 ³⁰
		P.M.	7 ⁰⁰

Série P - Relais

1		Relais	14 ⁰⁰ 22 ⁰⁰ 8 ⁰⁰
	D	Remis (see par R18)	

Organisation au service des relais

R1	6	14		
relais supérieurs			D1	14
			□ 40083 (77)	16 ³⁰ 17 ¹⁵
			□ MD4446 (78)	17 ²⁰ 18 ³⁰
			□ 24313 (K4)	20 ³⁰ 22 ⁰⁰

R6	21 ³⁰	5 ³⁰		
relais supérieurs et □ MP 4017 (R1)	4 ³⁰	5 ³⁰	7 7h	22
			□ 40084 (746)	22 ³⁰ 23 ³⁰
			□ 44443 (766)	24 ⁵ 3 ³⁰
			□ MD24335 (786)	4 ³⁰ 6 ³⁰

Cadre productif autorisé

machinistes : 57 définitifs 4 provinciaux
 chauffeurs : 55 définitifs 4 provinciaux